

ASX Announcement (ASX:AXE)

9 March 2018

High priority EM targets confirmed at Blue Hills

Highlights

- Airborne Electro-Magnetic (AEM) survey at Blue Hills has identified four high priority targets.
 - Targets at Legolas and Ygritte confirmed – these targets are covered by shallow soils and were discovered by the AEM survey.
 - RAB drilling to commence in coming weeks to test the extent mineralisation below the shallow cover.
 - Results from RAB drilling to be used to identify future RC drilling targets.
-

Archer Exploration Ltd (ASX:AXE, Archer, Company) is pleased to announce the final results from the aerial electro-magnetic (AEM) survey over Archer's 100% owned Blue Hills Project, located approximately 60km east of the township of Jamestown and 30km south of the trans-Australia railway line.

The +370 line kilometre AEM was flown by helicopter in January 2018 with the preliminary results released to ASX on 15 February 2018. The raw data was processed and analysed further with the results from the final report summarised in this announcement.

The survey was flown at a height of 30 metres with close line spacings (100m and 200m) over the previously discovered targets at Hood, Hawkeye and Katniss and larger spacings (up to 1,000m) over previously untested areas.

Archer's Chairman, Greg English said "Overall the AEM survey has been successful in identifying multiple targets at Blue Hills. The results of this survey when combined with the RC drill results and large soil survey gives Archer the confidence to proceed with drilling at Blue Hills".

The final processing of the AEM data identified four high priority targets for follow up by Archer (Figure 1).




Figure 1: AEM depth slice (100m) showing location of priority targets.

High Priority Target 1

This target is located on the northern extension of the Hood prospect and is 600m long. The target is classified as a strong deep conductor near an area of high copper in soil concentration.

High Priority Target 2

This target is also located proximal to the Hood prospect and extends over a distance of 900m. The target area represents a broad, strong conductive region close to a magnetic high. This is classified as a strong and deep conductor consistent with an intrusive style deposit.

High Priority Target 3

The target area is located between Hood and Hawkeye prospects and close to the 2017 RC drilling that led to the discovery of copper at Blue Hills. Whilst this conductor is weaker than High Priority Targets 1 and 2, the location of High Priority Target 3 is encouraging as the results of the AEM survey confirm the earlier RC drill results. This conductor may be located on the boundary of different geological units with elevated copper concentrations.

High Priority Target 4

High priority target 4 is located on the southern extension of the Hawkeye Prospect and with a length of 1.2km, is the largest of the four High Priority Targets. The conductor modelled is coincident with high copper in soil concentrations and is associated with an early-late EM response. This target, similar to High Priority Target 3, is located at a possible interface between different geological units.

Other targets

In addition to the four High Priority Targets, a new target was modelled on the western extent of the Katniss soil anomaly. Also, a large area of conductivity was modelled to the north west of the main project area. This new area has been explored for diamonds by previous explorers, given the presence of kimberlites. This area will be reviewed at a later date as a number of conductive targets that are not associated with magnetic highs (kimberlites) are present and could be possible sulphide targets.

Next Steps

The newly discovered Ygritte and Legolas Prospects and parts of the four High Priority Targets are under shallow transported cover. In the coming weeks Archer will use rotary air blast drilling (RAB) to test the level of copper mineralisation below the shallow soils. The results of this drilling will be used to identify future drill targets.

For further information, please contact:

Mr Greg English
Executive Chairman
Archer Exploration Limited
Tel: (08) 8272 3288

Mr Cary Helenius
Investor Relations
Market Eye
Tel: 03 9591 8906

Competent Person Statement

The information in this report that relates to Exploration Results is based on information compiled by Mr Wade Bollenhagen, a Competent Person who is a Member of the Australasian Institute of Mining and Metallurgy and is a full-time employee of Archer Exploration Limited. Mr Bollenhagen has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr. Bollenhagen consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

JORC Code, 2012 Edition – Table 1

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code Explanation	Commentary
Sampling Techniques	<ul style="list-style-type: none"> • Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as downhole gamma sondes, or handheld XRF instruments, etc.). These examples should not be taken as limiting the broad meaning of sampling. • Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. • Aspects of the determination of mineralisation that are Material to the Public Report. • In cases where ‘industry standard’ work has been done this would be relatively simple (e.g. ‘reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay’). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information. 	<ul style="list-style-type: none"> • No sampling being reported.
Drilling Techniques	<ul style="list-style-type: none"> • Drill type (e.g. core, reverse circulation, open hole hammer, rotary air blast, auger, Bangka, sonic, etc.) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc.). 	<ul style="list-style-type: none"> • Drilling is not being reported in this release

Criteria	JORC Code Explanation	Commentary
Drill Sample Recovery	<ul style="list-style-type: none"> • Method of recording and assessing core and chip sample recoveries and results assessed. • Measures taken to maximise sample recovery and ensure representative nature of the samples. • Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<ul style="list-style-type: none"> • Drilling is not being reported in this release.
Logging	<ul style="list-style-type: none"> • Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. • Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc.) photography. • The total length and percentage of the relevant intersections logged. 	<ul style="list-style-type: none"> • No sampling being reported. • Drilling is not being reported in this release
Sub-Sampling Techniques and Sample Preparation	<ul style="list-style-type: none"> • If core, whether cut or sawn and whether quarter, half or all core taken. • If non-core, whether riffled, tube sampled, rotary split, etc. and whether sampled wet or dry. • For all sample types, the nature, quality and appropriateness of the sample preparation technique. • Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. • Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. • Whether sample sizes are appropriate to the grain size of the material being sampled. 	<ul style="list-style-type: none"> • Drilling is not being reported in this release.

Criteria	JORC Code Explanation	Commentary
Quality of Assay Data and Laboratory Tests	<ul style="list-style-type: none"> • The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. • For geophysical tools, spectrometers, handheld XRF instruments, etc., the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. • Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established. 	<ul style="list-style-type: none"> • No sampling being reported.
Verification of Sampling and Assaying	<ul style="list-style-type: none"> • The verification of significant intersections by either independent or alternative company personnel. • The use of twinned holes. • Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. • Discuss any adjustment to assay data. 	<ul style="list-style-type: none"> • No sampling being reported.
Location of Data Points	<ul style="list-style-type: none"> • Accuracy and quality of surveys used to locate drillholes (collar and downhole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. • Specification of the grid system used. • Quality and adequacy of topographic control. 	<ul style="list-style-type: none"> • No sampling being reported.
Data Spacing and Distribution	<ul style="list-style-type: none"> • Data spacing for reporting of Exploration Results. • Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. • Whether sample compositing has been applied. 	<ul style="list-style-type: none"> • Drilling is not being reported in this release.

Criteria	JORC Code Explanation	Commentary
Orientation of Data in Relation to Geological Structure	<ul style="list-style-type: none"> • Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. • If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	<ul style="list-style-type: none"> • Drilling is not being reported in this release.
Sample Security	<ul style="list-style-type: none"> • The measures taken to ensure sample security. 	<ul style="list-style-type: none"> • No sampling being reported.
Audits or Reviews	<ul style="list-style-type: none"> • The results of any audits or reviews of sampling techniques and data. 	<ul style="list-style-type: none"> • None undertaken.

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code Explanation	Commentary
Mineral Tenement and Land Tenure Status	<ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	<ul style="list-style-type: none"> Tenement status confirmed on SARIG. Work being reported is from EL 5794, EL 6000 and EL5433 (owned by SA Exploration Pty Ltd, a subsidiary of AXE) The tenements are in good standing with no known impediments.
Exploration Done by Other Parties	<ul style="list-style-type: none"> Acknowledgment and appraisal of exploration by other parties. 	<ul style="list-style-type: none"> Work has been completed under EL's 6000 & 5794, primarily in the search for diamonds, most recently Flinders Diamonds. Work by Aberfolye (early 1980's) to search for a Copper-Gold-Moly porphyry deposit at the Willara anomaly (EL 5433) was undertaken using shallow vertical RAB holes, many of these did not penetrate further than 5-10m in an environment of shallow dipping sediments.
Geology	<ul style="list-style-type: none"> Deposit type, geological setting and style of mineralisation. 	<ul style="list-style-type: none"> The mineralisation style indicates that it was emplaced by fluids (e.g. an intrusive source).

Criteria	JORC Code Explanation	Commentary
Drillhole Information	<ul style="list-style-type: none"> • A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> – Easting and northing of the drill hole collar – Elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar – Dip and azimuth of the hole – Downhole length and interception depth – Hole length • If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	<ul style="list-style-type: none"> • Drilling is not being reported in this release.
Data Aggregation Methods	<ul style="list-style-type: none"> • In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. • Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. • The assumptions used for any reporting of metal equivalent values should be clearly stated. 	<ul style="list-style-type: none"> • Drilling is not being reported in this release.
Relationship Between Mineralisation Widths and Intercept Lengths	<ul style="list-style-type: none"> • These relationships are particularly important in the reporting of Exploration Results. • If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. • If it is not known and only the downhole lengths are reported, there should be a clear statement to this effect (e.g. 'downhole length, true width not known'). 	<ul style="list-style-type: none"> • Drilling is not being reported in this release.
Diagrams	<ul style="list-style-type: none"> • Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	<ul style="list-style-type: none"> • Drilling is not being reported in this release.

Criteria	JORC Code Explanation	Commentary
Balanced Reporting	<ul style="list-style-type: none"> Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. 	<ul style="list-style-type: none"> The reporting is considered to be balanced.
Other Substantive Exploration Data	<ul style="list-style-type: none"> Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	<ul style="list-style-type: none"> Nothing to report at this stage
Further Work	<ul style="list-style-type: none"> The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	<ul style="list-style-type: none"> Further drilling is required along strike as well as testing for mineralisation under cover. Figures in the body of this report highlight the gaps in the data.